



REQUEST FOR BID  
Date: 02/02/09  
Bid 09-03DS

RETURN BY OPENING TIME TO:  
Purchasing Division  
RM 100 City Hall  
411 West 1<sup>st</sup> Street  
Duluth, MN 55802

**1 Ton 4 x 4 Ext Cab and Chassis**

Buyer: Dennis Sears  
Phone: 218-730-5003  
Fax: 218-730-5922

**BID OPENING, RM 100 AT 2:00 PM ON THURSDAY, FEBRUARY 19, 2008**

Note: All bids must be written, signed, and transmitted in a sealed envelope, plainly marked with the bid number, subject matter, and opening date. The City of Duluth reserves the right to split award where there is substantial savings to the city, waive informalities and to reject any and all bids. Bidder should state in proposal if bid is based on acceptance of total order. Sales tax is not to be included in the unit price. Bidder to state freight charges if, proposal is F.O.B. shipping point, freight not allowed. Low bid will not be the only consideration for award of bid. All pages must be signed or initialed by authorized bidder's representative as indicated at the bottom of the page(s) of the request for bid forms.

RETURN BID IN DUPLICATE WITH DUPLICATE DESCRIPTIVE LITERATURE  
FOR BID RESULTS, ENCLOSE A SELF-ADDRESSED; STAMPED ENVELOPE WITH BID

City bid information on website: [www.duluthmn.gov/purchasing/bid information.cfm](http://www.duluthmn.gov/purchasing/bid%20information.cfm)

Designated F.O.B. Point  
Fleet Services  
Duluth, MN

Tax: Federal Excise Tax Exemption  
Account No. 41-74-0056 K

Item No.	Qty	U/OM	Description	Unit Price	Total Price
01	1	ea	1 Ton 4 x 4 Ext Cab w/Chassis per attached description/specification		

Vendor E-mail Address \_\_\_\_\_ Freight Charges N/A

Name \_\_\_\_\_  
Addr \_\_\_\_\_

Total Bid Price \_\_\_\_\_  
(To include any additional pages)

Payment Terms \_\_\_\_\_

By: \_\_\_\_\_

F.O.B. Point N/A

(print title)

Delivery Date N/A

\_\_\_\_\_  
(signature) (tele#)

The City of Duluth is an Equal Opportunity Employer

## REQUEST FOR BID

### INTENT OF MINIMUM SPECIFICATIONS

It is the intent of the following specifications to describe in sufficient detail for the successful vendor to provide and deliver a completed vehicle, ready for service.

- General description: "A 2009 1-Ton 4X4 Gas - single rear wheel Extended Cab and Chassis Vehicle with a Contoured Service Body mounted on the Frame, Complete With Receiver Hitch and Bumper, also with 8' - 8-1/2' V-Plow complete with frame, lighting, wiring and controls, mounted and ready for Service to the City of Duluth."

## Bid Request

### MINIMUM GENERAL SPECIFICATIONS / REQUIREMENTS

- 1 Ton 4X4 Extended Cab and Chassis SRW / 2009 Model  
161.5" Wheel Base - 60" Cab to Axle
- Gasoline Engine
- Heavy Duty Automatic Transmission
- Automatic Locking Front Hubs
- Locking Rear Differential or Limited Slip
- 3.73 or 4.10 Rear Axle Ratio (Or approved equal)
- On/Off Road Tires / 10 Ply (4ea)
- Spare Tire and Rim to Match (1)
- Cloth Split Bench Seat
- No Rear Seat
- Solid White Paint Exterior
- Air Conditioning
- AM/FM Stereo
- Power Window / Door Locks
- Engine Block Heater
- Camper Style Extendable Mirrors  
Mounted On Door Post Area Only-Not Door Skin.
- Tilt Wheel
- Daytime Running Lights
- Installed Front Mud Flaps
- Installed Side Tube Steps - OEM Style
- Trailering Equipment Package
- Integrated Trailer Brake Controller
- Indicate Extended Warranty Offered

## MINIMUM GENERAL SPECIFICATIONS / REQUIREMENTS

Vehicle Service Body to fit 1-Ton 4X4 Single Rear Wheel  
Cab and Chassis / 2009 Model

- Contoured Automotive Styling Tailored to Make of Chassis.
- Service Body to be appropriate for Cab To Axle Measurement as well as Length & Width of Selected Vehicle
- Best Manufacturer Design Available for Door Seals
- Wrap Around Tail Lights
- Primed and Painted to Match Cab Color
- Complete Undercoating
- Removable Pickup Style Tailgate
- Automotive Style Door Latches
- Concealed Door Hinges
- Adjustable Shelves and Dividers Per Standard Features
- 40" Standard Height
- Fender Flares / if Available
- Class V Rear Receiver hitch
- Recess Bumper to Accommodate Receiver Hitch Assy.

## MINIMUM GENERAL SPECIFICATIONS / REQUIREMENTS

### Steel Power V-Plow for New 2009 1-Ton 4X4 Cab & Chassis .

- 8' to 8-1/2' Power Steel V-Plow Blade Assembly
- Electric over Hydraulic Power Supply
- Newest Design in Quick and Easy Attachment to Vehicle
- Newest Design for Lights, Light Mounts, Wiring, Plow and Truck Mounting Frame, Plow Controller.
- Dual Trip Edge Design
- Nominal Blade Height of 29"
- Chain or Chainless Hydraulic Lift Cylinder
- 1/2" X 6" Steel Cutting Edge
- Poly, Rubber, or Composite Replacement Cutting Edges Available from Plow Manufacturer for this Plow.
- Installed On Vehicle