


Park Point Communications Tower Addendum 3

City of Duluth, Minnesota

SUBMITTAL CERTIFICATION

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

Print Name: Jared DeMaster

Signature:  _____

Date: 11/12/2012

License #: 48815



PROFESSIONAL SERVICES

More ideas. Better solutions.

**ADDENDUM #3
PARK POINT COMMUNICATIONS TOWER
CITY OF DULUTH
PROJECT 12-23DS
11/12/12**

NOTICE

Page 1 of 1

This Addendum is issued to modify, explain or correct the original drawings, specifications and/or previous addendums and is hereby made a part of the Contract Documents. Please attach this Addendum to the specifications in your possession and note receipt of this by signing and returning a copy of this Addendum with your bid. The bid date remains unchanged.

PROJECT MANUAL

DIVISION 33

SECTION 33 81 15 FREE STANDING COMMUNICATION ANTENNA TOWER

“ADD” the following new item to Article 2.01 Paragraph A of acceptable manufactures

6. Nello Corporation

“REPLACE” 2.02.B.2. with the following:

2. 60 MPH wind with 1.25 inch radial ice on all exposed tower and antenna surfaces.

“REPLACE” 2.02.B.4. with the following:

4. Wind Exposure D.

END OF ADDENDUM