



REQUEST FOR BID
Date: 3/16/10
Bid 10-11DS

RETURN BY OPENING TIME TO:
Purchasing Division
RM 100 City Hall
411 West 1st Street
Duluth, MN 55802

1 Ton 4 x 4 Truck

Buyer: Dennis Sears
Phone: 218-730-5003
Fax: 218-730-5922

BID OPENING, RM 100 AT 2:00 PM ON Wednesday, March 31, 2010

Note: All bids must be written, signed, and transmitted in a sealed envelope, plainly marked with the bid number, subject matter, and opening date. The City of Duluth reserves the right to split award where there is substantial savings to the city, waive informalities and to reject any and all bids. Bidder should state in proposal if bid is based on acceptance of total order. Sales tax is not to be included in the unit price. Bidder to state freight charges if, proposal is F.O.B. shipping point, freight not allowed. Low bid will not be the only consideration for award of bid. All pages must be signed or initialed by authorized bidder's representative as indicated at the bottom of the page(s) of the request for bid forms.

RETURN BID IN DUPLICATE WITH DUPLICATE DESCRIPTIVE LITERATURE
BID RESULTS WILL BE POSTED TO THE WEB SITE SHORTLY AFTER BID OPENING
City bid information on website: [www.duluthmn.gov/purchasing/bid information.cfm](http://www.duluthmn.gov/purchasing/bid%20information.cfm)

Designated F.O.B. Point

Tax: Federal Excise Tax Exemption
Account No. 41-74-0056 K

Item No.	Qty	U/OM	Description	Unit Price	Total Price
1	1	ea	1 Ton 4 x 4 truck w/mounted service body, 2000# crane and plow per the attached specifications.		

Vendor E-mail Address _____ Freight Charges N/A

Name _____
Addr _____

Total Bid Price _____
(To include any additional pages)

Payment Terms _____

By: _____

(print title)

F.O.B. Point N/A

Delivery Date N/A

(signature) (tele#)

REQUEST FOR BID

INTENT OF MINIMUM SPECIFICATIONS

It is the intent of the following specifications to describe in sufficient detail for the successful vendor to provide and deliver a complete vehicle, ready for service.

- General description: "A current model 1 Ton 4x4 Gas single rear wheel Extended Cab and Chassis vehicle with a Contoured Service Body mounted on the frame. A #2000 lb. capacity electric - manual rotating crane mounted in the service body, an 8' to 8-1/2' straight blade steel plow complete with frame, lighting, wiring and controls, mounted and ready for service to the City of Duluth per attached specifications."

Bid Request

MINIMUM GENERAL SPECIFICATIONS / REQUIREMENTS

- 1 Ton 4X4 Extended Cab and Chassis SRW / 2010 Model
Wheel Base and Cab to Axle dimensions must be appropriate to fit body requested.
- Gasoline Engine
- Heavy Duty Automatic Transmission
- Automatic Locking Front Hubs
- Locking Rear Differential or Limited Slip
- 3.73 or 4.10 Rear Axle Ratio (Or approved equal)
- On/Off Road Tires / 10 Ply (4ea)
- Spare Tire and Rim to Match (1)
- Cloth Split Bench Seat
- Solid White Paint Exterior
- Air Conditioning
- AM/FM Stereo
- Power Window / Door Locks
- Engine Block Heater
- Camper Style Extendable Mirrors
Mounted On Door Post Area Only-Not Door Skin.
- Tilt Wheel
- Daytime Running Lights
- Installed Front Mud Flaps
- Installed Side Tube Steps - OEM Style
- Snow Plow Prep Package
- Indicate Extended Warranty Offered

MINIMUM GENERAL SPECIFICATIONS / REQUIREMENTS

Vehicle Service Body to fit 1-Ton 4X4 Single Rear Wheel
Cab and Chassis / 2010 Model

- Contoured Automotive Styling Tailored to Make of Chassis.
- Service Body to be appropriate for Cab to Axle Measurement as well as Length & Width of Selected Vehicle. (Approximate dimensions of Service Body are: 40" Side Height - 48" Wide Floor - 108" Service Body Length - 80" Service Body Width.)
- Service Body Manufactured to accept a #2000 lb. Capacity Electric Manual Rotating Crane Mounted in the Rear Most Compartment - Curbside.
- # 2000 lb. Capacity Electric Crane Equipped with Manual Rotating Crane - Manual Telescopic Boom - Maximum Length 7' -3" - Swivel Block with Hook & Latch and Remote Pendant Installed On Service Body.
- Crane Installed Complete with Jackleg and Suspension Assist if necessary.
- Best Manufacturer Design Available for Door Seals
- Wrap Around Tail Lights
- Primed and Painted to Match Cab Color
- Complete Undercoating
- Removable Pickup Style Tailgate
- Automotive Style Door Latches
- Concealed Door Hinges
- Adjustable Shelves and Dividers Per Standard Features
- 40" Standard Height
- Fender Flares / if Available
- Rear Standard Bumper painted to match body.

MINIMUM GENERAL SPECIFICATIONS / REQUIREMENTS

Steel Straight Blade Design Plow for New 2010 1-Ton 4X4 Cab & Chassis. Contractor Grade.

- 8' to 8-1/2' Straight Blade Steel Plow Blade Assembly
- Electric over Hydraulic Power Supply
- Newest Design in Quick and Easy Attachment to Vehicle
- Newest Design for Lights, Light Mounts, Wiring, Plow and Truck Mounting Frame, Plow Controller.
- Trip Blade Design
- Nominal Blade Height of 29"
- Chain or Chainless Hydraulic Lift Cylinder
- 1/2" X 6" Steel Cutting Edge
- Installed On Vehicle