

**DRAWING LIST**

- G1-00 COVER SHEET
- G1-01 DRAWING LIST
- G1-02 SYMBOLS & ABBREVIATIONS
- LS-01 FIRST FLOOR LIFE SAFETY PLANS
- LS-02 SECOND FLOOR LIFE SAFETY PLANS
- ARCHITECTURAL**
- AS-01 EXISTING SITE PLAN
- AS-02 ARCHITECTURAL SITE PLAN
- A1-10 FIRST FLOOR PLAN
- A1-11 ENLARGED FIRST FLOOR PLAN - AREA A
- A1-12 ENLARGED FIRST FLOOR PLAN - AREA B
- A1-20 SECOND FLOOR PLAN
- A1-21 ENLARGED SECOND FLOOR PLAN - AREA A
- A1-22 ENLARGED SECOND FLOOR PLAN - AREA B
- A1-30 THIRD FLOOR PLAN
- A1-31 ENLARGED THIRD FLOOR PLAN
- A1-40 ROOF PLAN
- A2-11 FIRST FLOOR REFLECTED CEILING PLAN
- A2-12 SECOND FLOOR REFLECTED CEILING PLAN
- A2-13 THIRD FLOOR REFLECTED CEILING PLAN
- A3-01 BUILDING ELEVATIONS
- A3-10 BUILDING SECTIONS
- A3-11 BUILDING SECTIONS
- A3-12 BUILDING SECTIONS
- A3-13 BUILDING SECTIONS
- A3-14 BUILDING SECTIONS
- A4-01 EXTERIOR SYSTEM SHEET - CURTAIN WALL LANDSIDE
- A4-02 EXTERIOR SYSTEM SHEET - CURTAIN WALL AIRSIDE
- A4-03 EXTERIOR SYSTEM SHEET - CURTAIN WALL AIRSIDE
- A4-04 EXTERIOR SYSTEM SHEET - CORE WALL
- A4-05 EXTERIOR SYSTEM SHEET - TUG TUNNEL
- A4-05 EXTERIOR SYSTEM SHEET - CANOPY
- A7-01 INTERIOR ELEVATIONS
- A7-02 INTERIOR ELEVATIONS
- A7-03 INTERIOR ELEVATIONS
- A7-10 INTERIOR SYSTEM SHEET - STAIRS AND ELEVATORS

**GENERAL NOTE:**


FOR ADA STANDARDS, PLUMBING FIXTURES' MOUNTING HEIGHTS AND CLEARANCES, SEE AX-XX.

**ZONING DATA**

- PROJECT LOCATION:** DULUTH INTERNATIONAL AIRPORT  
4701 GRINDEN DRIVE  
DULUTH, MINNESOTA 55811
- ZONING:** --
- PROPOSED USE:** AIRPORT
- GROSS SITE AREA:** N.A.
- TOTAL BUILDING AREA:** --
- FIRST FLOOR AREA:** --
- SECOND FLOOR AREA:** --
- THIRD FLOOR AREA:** --
- FLOOR AREA RATIO:** --
- BUILDING HEIGHT:** --
- OFF-STREET PARKING:** --
- ON-STREET PARKING:** --
- OFF-STREET LOADING AREAS:** --
- APPLICABLE CODES:** --
- OCCUPANCY:** --

**ACCESSIBILITY NOTES**

- A. GENERAL REQUIREMENTS**
- THIS PROJECT WILL COMPLY WITH ALL IAC 400.310 - NEW CONSTRUCTION.
- 1. THE ENTRANCE IS ACCESSIBLE PER IAC 400.310(k).
- 2. ALL PASSENGER ELEVATORS PROVIDED IN A BUILDING OR FACILITY SHALL BE ACCESSIBLE, SHALL SERVE ALL LEVELS OF A BUILDING OR FACILITY, SHALL BE ON AN ACCESSIBLE ROUTE AND SHALL COMPLY WITH THE ASME A 17.1-1996.
- 3. ALL DOORS LEADING TO REQUIRED ACCESSIBLE ROOMS AND SPACES SHALL BE A MINIMUM OF 3'-0" WIDE, HAVE LEVER OPERATED HARDWARE (OR EQUAL), HAVE A MINIMUM OPENING FORCE OF 5 LBF, AND FULLY COMPLY WITH IAC 400.310(j).
- 4. ALL DOORS LEADING TO HAZARDOUS ROOMS WILL COMPLY WITH THE ABOVE AND, IN ADDITION, WILL HAVE KNURLED OPERATING HARDWARE (I.E., ELECTRICAL/TELEPHONE ROOMS).
- 5. ALL ENVIRONMENTAL CONTROLS AND OPERATING MECHANISMS WILL COMPLY WITH IAC 400.310(r) (FRONT REACH BETWEEN 15" AND 48" AFF).
- 6. ALL EMERGENCY WARNING ALARMS, WHERE PROVIDED, SHALL BE BOTH AUDIBLE AND VISUAL AND COMPLY WITH IAC 400.310(s). THE VISUAL ALARMS WILL BE FLASHING TYPE WHERE THE FLASHING IS SYNCHRONIZED AND IN COMPLIANCE FOR INTENSITY AND FREQUENCY, ALL TENANT SPACES WILL BE WIRED FOR FUTURE INSTALLATION OF EMERGENCY WARNING ALARMS ON AN AS NEEDED BASIS (SEE SECURITY DRAWINGS).
- 7. ANY NEW REQUIRED SIGNAGE IN CONTRACT SHALL BE INSTALLED AS REQUIRED PER IAC 400.310(u).
- 8. TOILET ROOMS SERVING PUBLIC AREAS (I.E., LOVVIES, CONCOURSE, ETC.) WILL FULLY COMPLY WITH IAC 400.310(n).



**2 SHEET LAYOUT**  
N.T.S.



**1 LOCATION MAP**  
N.T.S.



**Reynolds, Smith and Hills, Inc.**  
4525 Airport Approach Rd, Ste A  
Duluth, Minnesota 55811  
218-722-1227 Fax: 218-722-1052  
www.rsandh.com



**DULUTH INTERNATIONAL AIRPORT**  
DULUTH, MN

**NEW TERMINAL DESIGN**

**CONSULTANTS**

- SJA ARCHITECTS**  
11 E Superior Street Suite 340, Duluth MN 55802  
TEL: (218) 724-8578 / FAX: (218) 724-8717  
www.stankusjohnson.com
- MBJ CONSULTING ENG.**  
501 Lake Avenue South, Suite 300, Duluth MN 55802  
TEL: (218) 722-1056 / FAX: (218) 722-9306  
www.mbjeng.com

**BNP ASSOCIATES INC.**  
101 East Ridge Office Park, Suite 103, Danbury CT 06810  
TEL: (203) 792-3000 / FAX: (203) 792-4900  
www.bnpassociates.com

**COSENTINI**  
1 East Wacker Drive, Suite 103, Chicago IL 60601  
TEL: (312) 670-1800 / FAX: (312) 670-1801  
www.cosentini.com

**APPOLD DESIGN**  
2432 East First Street, Duluth MN 55812  
TEL: (218) 591-5079  
www.appoldesign.com

**KRAUS-ANDERSON**  
3716 Onseta Street, Duluth MN 55807  
TEL: (218) 722-3775  
www.krausanderson.com

**LIGHTING**  
XXXXXXXXXX  
TEL: (XXX) XXX-XXXX  
www.XXXXXXXXXX.com

**REVISIONS**

NO.	DESCRIPTION	DATE

**DATE ISSUED: 10-30-09**  
**REVIEWED BY: SBS/TC**  
**DRAWN BY: MKG/MI**  
**DESIGNED BY: SBS/TC**  
**AEP PROJECT NUMBER**  
**213-1882-091**  
© 2006 REYNOLDS, SMITH AND HILLS INC.

**SHEET TITLE**  
**DRAWING LIST**

**SHEET NUMBER**  
**G101**

**30% NOT FOR CONSTRUCTION**